





SANITARY SYSTEMS



OLI

Price list w.e.f 1st April, 2023



OLI74 PLUS is the most versatile and water efficient range

Suitable for any type of solid wall, drywall and floor mounted toilets or wall-hung toilets

Product Code : 601601

Description : OLI74 CONCEALED TANK 56/40-45

MRP : ₹ 7600

Features:

- Dual flush 6/3 litre in-wall cistern (adjustable to 4.5/3 litres)
- 5/3 litres flush version upon request (Class A+)
- Polypropylene (PP) cistern highly resistant and inalterable to thermal stress
- Delayed refilling AZOR PLUS inlet valve
- Silent inlet valve
- Mechanical, Pneumatic, Electronic, Hydroboost and AC version available
- Pneumatic, electronic, Hydroboost and AC kits available
- Supplied with anti-condensation lining
- Some versions compliant with WRAS/SAI-WATERMARK/UPC/KIWA
- EN 14055
- "A" class for the Water Efficiency in compliance with the ANQIP Authority requirements
- 10 year warranty
- Compatible with all floor mounted WC pans
- 80mm total thickness

Included

- 360mm flush pipe included
- Wall fixing kit
- Net for easier mortar adhesion
- G 1/2" stop valve
- WC connection pipe ø45

CONCEALED TANK



EXPERT PLUS

Product Code : 721003

Description : EXPERT PLUS MECC. H820 / 1130

MRP : ₹ 12800

General features



- Dual flush 6/3 litre in-wall cistern (adjustable to 4/2 or 7/3 litres)
- Pre-set version 4/2 (CL1) or 4/2.6 (CL2) litres available on request
- Polypropylene (PP) cistern highly resistant and inalterable to thermal stress
- Delayed refilling AZOR PLUS technology inlet valve;
- Silent inlet valve class 1NF certified
- Top or front actuation/access;
- Mechanic or pneumatic actuation
- For top actuation for the control plates Glam, Narrow, Globe and Pain
- Lower/under bench installation possible;
- Some versions compliant with:
WRAS/SAI-WATERMARK/SINTEF/NF/BELGAQUA certification
- EN 14055 CE marking
- Class "A" Water Efficiency in compliance with the ANQIP Authority requirements
- Supplied with anti-condensation lining
- 10 year warranty
- Compatible with all floor mounted WC pans

Included


315 mm flush pipe

G 1/2" stop valve

WC connection pipe Ø45



Top actuation



Front actuation

FRAME FOR CONCEALED CISTERN



HALF FRAME FOR OLI74 PLUS CONCEALED TANK

Product Code : FRM602040HF

MRP : ₹ 3200



FULL FRAME FOR OLI74 PLUS CONCEALED TANK

Product Code : FRM602040FF

MRP : ₹ 4800

Full Frame / Half Frame Accessories

DISCHARGE PIPE SET



Bend Discharge
Pipe 90mm



Straight
Discharge
Pipe 100mm



Pipe dummy



C Clamp




SS Rack Bolt

Product Code : ACC - 602040
MRP : ₹ 1100/-

Product Code : ACC - 602041
MRP : ₹ 825/-

FLUSH PLATES



Product Code : 638501



Description : RIVER 2 PLATE

Colour : WHITE

MRP : ₹ 2000

Features:

- Dual flush
- Mechanical actuation
- Actuation force < 20 N
- ABS control plate: high resistance to scratches
- 2 year warrant.



Product Code : 638504


Description : RIVER 2 PLATE

Finish : POLISHED CHROME


MRP : ₹ 4800

Features:

- Dual flush;
- Mechanical actuation
- Actuation force < 20 N
- ABS control plate: high resistance to scratches
- 2 year warranty.



FLUSH PLATES



Product Code : 659044



Description : SLIM DUAL CONTROL PLATE

Finish : POLISHED CHROME

MRP : ₹ 6300

Features:

- Dual flush mechanical actuation
- Mechanical actuation
- Actuation force < 20 N
- 6.5 mm thick
- ABS control plate: high resistance to scratches
- Soft-touch (ST) finishing available
- 2 year warranty



Product Code : 139185


Description : GLAM

Finish : POLISHED CHROME

MRP : ₹ 6300

Features:

- Dual flush
- OLIpure compatible version
- Mechanical actuation
- Actuation force < 20 N
- 6.5mm thick
- Opening and closing with "click" system
- ABS control plate: high resistance to scratches
- Soft-touch (ST) finishing available
- 2 year warranty



FLUSH PLATES



Features:



- Dual flush
- OLIpure version available
- Mechanical actuation
- Actuation force < 20 N
- 6.5mm thick
- Opening and closing with "click" system
- ABS control plate: high resistance to scratches
- Soft-touch (ST) finishing available
- 2 year warranty

Product Code : 152940

Description : NARROW

Finish : POLISHED CHROME

MRP : ₹ 6300



Features:


- Dual flush
- Pneumatic actuation
- Actuation force < 20 N
- ABS control plate: high resistance to scratches
- Soft-touch (ST) finishing available
- 2 year warranty

Product Code : 641004


Description : KARISMA CONTROL PLATE

Finish : POLISHED CHROME (PNEUMATIC)

MRP : ₹ 6200



FLUSH PLATES



Product Code : 670004


Description : iPLATE

Finish : POLISHED CHROME

MRP : ₹ 8100

Features:

- Dual flush
- Mechanical actuation
- Actuation force < 20 N
- 6 mm thick
- Wide range of colours and combinations
- Possibility of replacing the control buttons with kit elegance and kit fantasy
- ABS control plate: high resistance to scratches
- Soft-touch (ST) finishing available
- 2 year warranty



Product Code : 656004


Description : METAL DUAL CONTROL PLATE

Finish : POLISHED CHROME


MRP : ₹ 13300

Features:

- Dual flush
- Mechanical actuation
- Actuation force < 20 N
- Vandal resistant
- Zamac material
- 2 year warranty



FLUSH PLATES



Product Code : 154963



Description : BLINK INOX

Finish : POLISHED CHROME (PNEUMATIC)

MRP : ₹ 13300

Features:

- Dual flush
- Pneumatic actuation
- Actuation force <20N
- 2mm thick
- Stainless steel material
- 2 year warranty



Product Code : 656504


Description : TREND INOX PLATE

Finish : POLISHED CHROME (PNEUMATIC)


MRP : ₹ 13300

Features:

- Dual flush
- Pneumatic actuation
- Actuation force < 20 N
- 2mm thick
- Vandal-resistant
- Stainless steel material
- 2 year warranty



FLUSH PLATES



Product Code :: 54562



Description : OCEANIA MECH INOX SAT GLASS

Colour : BLACK

MRP : ₹ 24000

Features:

- Dual Flush
- Mechanical or pneumatic actuation
- Actuation force < 20 N
- Reduced thickness
- Tiltable button
- Gull-Wing opening system, which prevents damages
- Vandal resistant
- Different finishing possibilities and combinations: tempered glass and stainless steel
- 2 year warranty



Product Code : 54557


Description : OCEANIA MECH GLASS

Finish : POLISHED CHROME WITH GLASS
BUTTON

MRP : ₹ 24000

Features:

- Dual Flush
- Mechanical or pneumatic actuation
- Actuation force < 20 N
- Reduced thickness
- Tiltable button
- Gull-Wing opening system, which prevents damages
- Vandal resistant
- Different finishing possibilities and combinations: tempered glass and stainless steel
- 2 year warranty



FLUSH PLATES



Product Code : 54561


Description : OCEANIA MECH INOX

Finish : POLISHED CHROME

MRP : ₹ 19800

Features:

- Dual Flush
- Mechanical or pneumatic actuation
- Actuation force < 20 N
- Reduced thickness
- Tilttable button
- Gull-Wing opening system, which prevents damages
- Vandal resistant
- Different finishing possibilities and combinations: tempered glass and stainless steel
- 2 year warranty



PNEUMATIC KIT



Product Code : 601527

Description : OLI74 PNEUMATIC KIT

MRP : ₹ 2650



Product Code : 556807

Description : PNEUMATIC KIT EXPERT PLUS

MRP : ₹ 2650

WARRANTY TERMS

1. WARRANTY PERIODS for OLI products:

- a. In-wall flushing cisterns, bidet, washbasin and urinal frames - 10 (ten) years;
- b. Exposed flushing cisterns - 5 (five) years;
- c. Flushing mechanisms (inlet valves and outlet valves) - 10 (ten) years;
- d. Electronic components, fixtures, and fast-wearing parts, specifically rubber seals or similar products, push-buttons and flush plates - 2 (two) years;
- e. All other products - 2 (two) years;

2. The warranty period starts on the purchase date by the first final Consumer. The sales document, corroborating the sales date of the OLI product and the respective serial number, certifies the start date of the warranty. In the event of a subsequent purchase, or any alteration in proprietorship or user, the warranty period shall continue for the remainder of the warranty period and shall continue unaltered relative to all other aspects of the warranty.

3. This warranty is also applicable to subsequent substitution parts for those determined to be defective until the end of the warranty period for the product of which they are a part, or up to two years after their application if the remaining warranty period for the product is less than two years. The repair or substitution of a product or a part does not renew the initial warranty period.

4. This warranty is only valid if the product has been correctly installed, in accordance with the installation instructions and the information contained in the catalogues and manuals provided by OLI. In situations where information is not covered in the aforementioned resources, installation should be carried out in accordance with the standards, rules and technical specifications contained in the legislation in effect, applicable to the type of devices and mechanisms in question. Before being sold, products must be stored in a dry place.

5. The applicability of this warranty also depends on the use considered to be normal for the products, the operating conditions (ex. pressure, temperature, etc.) and the type of liquid used, which should have values within the parameters indicated in the catalogues or manuals provided by OLI.

6. If the flush pipes are used for other liquids other than network water, the standards relative to the resistance of polyethylene (PE), polypropylene (PP) and polyvinyl chloride (PVC) should always be respected.

7. Products with missing parts or which are defective at the time of installation, as well as during pressure tests, should not be used.

8. OLI products should not be used with other products which do not have local national Quality Approvals/Certificates.

9. Any product return should be accompanied by a copy of the sales receipt, with the product in its original packaging, whenever possible.

10. This warranty is immediately terminated and is not extended to any equipment or part that has been damaged or become inoperative as a result of the following:

- a) Accident, fall, fire, flooding and inappropriate, abusive or negligent use;
- b) Use of parts or accessories which have not been manufactured or provided by OLI, or whose provision and/or manufacture have not been expressly authorised by OLI;
- c) Unauthorised alterations to the equipment;
- d) Breaking of any warranty seal or removal of any label with the serial number or legally mandatory marking;
- e) Assistance, repairs or substitutions carried out by third parties other than OLI, an authorised reseller or certified technical centre.

11. Under no circumstances does the warranty cover the product's installation.

12. The products are packaged in duly identified packages which fulfil the requirements established in applicable national legislation. OLI cannot be held responsible for material or personal damage resulting from the incorrect or inappropriate use of the packages.

13. Failure to comply with any of the aforementioned clauses releases OLI from responsibilities pertaining to material damage and/or non-material damage which may result.

14. OLI recommends that the packaging materials of its products, after no longer being needed, should be recycled by the appropriate and socially responsible means and processes.

15. In the case of defects or non-conformity of OLI products, a written notification should be sent to the sales representative or OLI client manager within 60 days of becoming aware of the defect, as long as it was not previously visible, within reason. The appropriate measure shall then be taken to determine the possible defects detected. The notification may also occur by telephone, followed by a registered letter with acknowledgment of receipt within 24 hours to Customer Service, OLI - Sistemas Sanitários, S.A., Travessa do Milão, Esgueira, 3800-314 Aveiro (Portugal)

16. Failure to comply with the terms of the aforementioned number may result in the total or partial loss of the right to compensation or of the warranty itself.

17. The notification mentioned in Point 15 of this Warranty, issued by means of registered letter to OLI's Customer Service should contain the following information:

- a) Name, address and telephone number of the claimant;
- b) Identification of the product;
- c) Entity and place where the product was acquired (when not at OLI), as well as the respective purchase date;
- d) Address of the location where the product was installed;
- e) Description of the visible losses;
- f) Type of installation and the materials used (if the claimant has this information);
- g) Conditions of use, ex. type of system, pressure, temperature, etc. (if the claimant has this information);
- h) Name, address and telephone number of the company or person who installed the product.

18. Any personal information provided shall be used solely for processing the claim and for contact with the claimant and may be transmitted to the insurance provider to which civil responsibility for damages has been transferred.

19. Any obligation to repair, substitute, reduce the price or reimburse, if this should be the case, shall occur only for OLI products which have a visible marking or identifying logotype, with defects or non-conformities which have been proved through extensive technical verification. If it is concluded that the product is not defective, the expenses paid by OLI shall be invoiced to the claimant. The product's technical standards at the time of its manufacture shall be the basis for its conformity assessment.

20. OLI cannot be directly held responsible by the purchaser if the product's non-conformity results from actions by the resellers (or other commercial agents) of OLI products, namely when non-conformity results from statements made by the sales representative regarding the product, its qualities and use conditions, which are different from the product's indications and instructions, including the information contained in manuals and instruction guides provided with the products or published on the company's website.

20. This warranty binds OLI according to its exact terms, except typographical errors.



Inspired by water...



ISO 9001 Company



Member of IPA

ISO 9001:2015 Certified Company

www.watertecindia.com



WATERTEC (INDIA) PVT LTD

Gopal Bagh, #1060 Avinashi Road,
Coimbatore - 641 018

Phone: 0422 2245295

Toll Free : 1800 121 2191

Email: marketing@watertecindia.com

