

Multi functional shower | Wall mounted shower | Thermostatic shower | Shower column | Hand shower | Rain shower | Over head shower



# EXPERIENCE **SHOWER POWER!**


Rejuvenate your senses. Watertec presents a wide range of showers to suit every individuals need.

Enjoy scintillating showering that pleases your senses with calmness and relaxation.

The Showers we offer comes with multi functional features to give you the best of your showering time.



# Showers & More Guide



# TABLE OF CONTENTS

## **NEW LAUNCH**

THERMOSTATIC WITH MULTI FAUCET SHOWER SYSTEM HAND SHOWER

## **MULTI FUNCTIONAL SHOWERS**

MF-DWMB

MF-WCM

MF-WF

MFS-WF2M

MFS-4M

**WALL MOUNTED SHOWER** 

**BODY JETS** 

PRESSURE LIMITER

#### **LUXE**

THERMOSTATIC SHOWER

**SHOWER COLUMN** 

HAND SHOWER

**RAIN SHOWER** 

#### PRIME - STAINLESS STEEL

**ICON R SERIES** 

**ICON C SERIES** 

**ICON S SERIES** 

**ICON HR SERIES** 

**ICON O SERIES** 

MATRIX C SERIES

**MATRIX S SERIES** 


**ICON 2S SERIES** 


#### **CLASSE**

**OVER HEAD SHOWER** 

**ACCESSORIES** 









## **EXPERIENCE SHOWER POWER**

Rejuvenate your senses.


Watertec presents a wide range of showers to suit every individual's need. Enjoy scintillating showering that brings your senses calmness and relaxation. The Showers we offer comes with multi functional features to give you the best of your showering

# New Launch



## THERMOSTATIC WITH **MULTI FAUCET SHOWER SYSTEM**

Fight Fatigue



**Sharing Memories** 



**Fun Time** 





Bluetooth Control(-2.4GHZ)
Normal use range: 6 meters with wall obstruction,
10 meters without wall obstruction

0.5s to respond to the cold water pre-drainage instruction

Excellent waterproof ability
Magnetic attraction+3M glue
installation scene is not limited.

If any one of the following four conditions is met, it is considered that the pre-drainage of cold water is completed:


- The water temperature is ≥38°C and lasts more than 2s.
- The water temperature is ≤ 30°C and the pre-drainage time exceeds 90s.
- In the process of cold water pre-drainage, the temperature is ≥30°C and the temperature change is ≤1°C within 5s.
- In the process of cold water pre-drainage, press the button again, and the pre-drainage will stop.




























# **Baby Shower with Spray Function**



# THERMOSTATIC WITH MULTI FAUCET SHOWER SYSTEM


Dense Spray

With 244 pcs 0.3MM water nozzles, the spray is dense and does not sting the skin.

One Click Water-stopping


Convenient to use and water saving

Flow Stepless Adjustment






















## Model Code: L5101D2 - CP

- 4F Chromed shower column with fast drain off cold water thermostatic faucet
- Tablet thermostatic faucet with temperature digital display/filter function(F035101) and refined copper casting inner body
- Chrome 4F hand shower, Ø125 mm, H46014; IF head shower, Ø360 mm, D34011
- Dense spray handshower
- Chrome painted stainless steel square tube
- Silver PVC hose 1.5M



#### Model Code: L5101D2 - GM

- 4F Gun metal shower column with fast drain off cold water thermostatic faucet
- Tablet thermostatic faucet with temperature digital display/filter function(F035101) and refined copper casting inner body
- Gun metal 4F hand shower, Ø125 mm, H46014; 1F head shower, Ø360 mm, D34011
- Dense spray hand shower
- Grey painted stainless steel square tube
- Grey PVC hose 1.5M

# THERMOSTATIC WITH MULTI FAUCET SHOWER SYSTEM



## Model Code: L5104D2 - Round - CP

- 4F Chromed shower column with fast drain off cold water thermostatic faucet;
- Tablet thermostatic faucet with temperature digital display/filter function(F035104) and refined copper casting inner body
- Chromed round 4F hand shower, Ø130 mm, H43014; 1F head shower, Ø260 mm, D30011;
- Dense spray hand shower
- Chrome stainless steel round sliding rail, down tube
   ø25mm/ upper tube ø22mm;
- Silver PVC hose 1.5M



## Model Code: L5104D2 - Round - MB


- 4F Matte Black shower column with fast drain off cold water thermostatic faucet
- Tablet thermostatic faucet with temperature digital display/filter function(F035104)
- Matte black round 4F hand shower, 125 mm, H46014; 1F head shower, 260 mm, D30011
- Dense spray hand shower
- Black stainless steel round sliding rail, down tube
   ø25mm/upper tube ø22mm
- Black PVC hose 1.5M



Model Code: L5301D2 - CP


- 4F Chromed shower column with thermostatic faucet in piano-key design
- Tablet thermostatic faucet (F035301) with PPA material inner body
- Chromed 4F hand shower, Ø120 mm, H49014; 1F head shower, Ø320 mm, D43011
- 1F hand spray
- Chromed stainless steel round sliding rail, down tube
   Ø25mm/ upper tube Ø22mm
- Silver PVC hose 1.5M

## **Material and Structure**



# THERMOSTATIC WITH MULTI FAUCET SHOWER SYSTEM


## **Material and Structure**




# New Launch

# **Hand Shower with Spray Function**









# Hand Shower with Spray Function

## Model Code H46014 Chrome



4F Chromed Square Pushbutton Hand Shower, white faceplate with silicone nozzles and dia 125mm, push button to switch function, Spray, Boost Spray, Jet-Spray, Waterfall

Model Code H46014 Grey



4F Grey Square Push-button Hand Shower, black faceplate with silicone nozzles and dia 125mm, push button to switch function, Spray, Boost Spray, Jet-Spray, Waterfall

Model Code H46014 Matt Black



4F Black Square Push-button Hand Shower, black faceplate with silicone nozzles and dia 125mm, push button to switch function, Spray, Boost Spray, Jet-Spray,Waterfall

Model Code H46014 PVC Gold



4F PVD Gold Square Pushbutton Hand Shower, white faceplate with silicone nozzles and dia 125mm, push button to switch function, Spray, Boost Spray, Jet-Spray, Waterfall

Model Code H46014 White



4F White Square Push-button Hand Shower, white faceplate with silicone nozzles and dia 125mm, push button to switch function, Spray, Boost Spray, Jet-Spray, Waterfall















PRODUCT CODE	FINISH	
MF-DWMB SS	304 STAINLESS STEEL	
MF-DWMB GL	GOLD	
MF-DWMB BL	BLACK	

**REQUIRE 4 SUPPLY LINES** 



Size (mm)

650 mm x 450 mm

Nozzles 340



**Finish** 

304 STAINLESS STEEL GOLD & BLACK



**FUNCTIONS:** 

Intense Shower Rain Shower

2 Flow Waterfall

4 Mist



**Bluetooth Speakers** 

Hi-Fi Inbuilt Speaker



Chromotherapy Lights



Installation Kit











PRODUCT CODE	FINISH	
MF-WCM SS	304 STAINLESS STEEL	
MF-WCM GL	GOLD	
MF-WCM BL	BLACK	

**REQUIRE 4 SUPPLY LINES** 

Size

Size (mm) 650 mm x 450 mm

Nozzles 340



**Finish** 

304 STAINLESS STEEL GOLD & BLACK



FUNCTIONS:

Intense Shower

Rain Shower

itali i onowor



4 Mist



Led Lights


Chromotherapy Lights



Installation Kit







PRODUCT CODE	FINISH	
MF-WF SS	304 STAINLESS STEEL	
MF-WF GL	GOLD	
MF-WF BL	BLACK	

**REQUIRE 4 SUPPLY LINES** 



Size (mm)

**Nozzles** 650 mm x 450 mm 336



**Finish** 

**304 STAINLESS STEEL** GOLD & BLACK



**FUNCTIONS:** 

Intense Shower **Rain Shower** 

2 Flow Waterfall



**Led Lights** 



Installation Kit



PRODUCT CODE	FINISH	
MFS-WF2M SS	304 STAINLESS STEEL	
MFS-WF2M GL	GOLD	
MFS-WF23 BL	BLACK	

**REQUIRE 4 SUPPLY LINES** 



Size (mm) 574 mm x 330 mm

Nozzles 283



**Finish** 

304 STAINLESS STEEL GOLD & BLACK



FUNCTIONS:

**Rain Shower** 

2 Mist

2 Flow Waterfall



**Led Lights** 

Chromotherapy Lights



Installation Kit



PRODUCT CODE	FINISH	
MFS-4M SS	304 STAINLESS STEEL	
MFS-4M GL	GOLD	
MFS-43 BL	BLACK	

**REQUIRE 4 SUPPLY LINES** 



Size (mm)

574 mm x 330 mm

Nozzles 283



Finish

304 STAINLESS STEEL GOLD & BLACK



FUNCTIONS:

**Rain Shower** 

2 Mist

2 Flow Waterfall

**Led Lights** 

Chromotherapy Lights



Installation Kit



## **Wall Mounted**

## **Rain Showers**



Model Code - AWMS

Size : 600 mm x 300 mm

Nozzles: 169

Finish : SS Mirror Finish

Wall Mount Shower / Single Function



Model Code - ADWMS - 300

Size : 600 mm x 300 mm

Nozzles: 169

Finish : SS Mirror Finish

Wall Mount Shower / Dual Function /

Rain Shower + Waterfall

# **Body Jets**



Model Code - R50
Body Jet Round-Exposed



Model Code - BJC-S Body Jet Concealed-Square



Model Code - \$50 | Body Jet Square-Exposed

## **Pressure Limiter**

# SAVE WATER, EFFICIENTLY



## With Pressure Limiter

Model Code - PL- ART 030



# **Pressure Limiter**

## **CONNECTION METHOD:**

½" Female thread to be connected with water inlet whereas ½" male thread to be connected with connection hose where the inlet of product to be connected.



S.No	Pressure Rating	Flow rate	
		With pressure limiter	Without pressure limiter
1	1 bar	NA	10ltrs 300ml
2	2 bar	12ltrs 700ml	14ltrs 300ml
3	3 bar	12ltrs 700ml	17ltrs 200ml
4	4 bar	12ltrs 700ml	18ltrs
5	5 bar	12ltrs 800ml	20ltrs 500ml
6	6 bar	12ltrs 700ml	22ltrs 100ml




	Pressure Rating	Flow rate	
S.No		With pressure limiter	Without
3.110			pressure
			limiter
1	1 bar	NA	9ltrs 400ml
2	2 bar	11ltrs 300ml	13ltrs 300 ml
3	3 bar	12ltrs 250ml	15ltrs 600ml
4	4 bar	12ltrs 300ml	16ltrs 900 ml
5	5 bar	12ltrs 400ml	19ltrs 100 ml
6	6 bar	12ltrs 300ml	20ltrs



	Pressure Rating	Flow rate	
S.No		With pressure limiter	Without
3.110			pressure
			limiter
1	1 bar	NA	NA
2	2 bar	9ltrs 750ml	6ltrs 900 ml
3	3 bar	9ltrs 750ml	9ltrs 800ml
4	4 bar	9ltrs 750ml	11ltrs 500 ml
5	5 bar	9ltrs 250ml	15ltrs
6	6 bar	9ltrs	17ltrs 400ml

## Luxe



Enjoy the invigorating tune of a shower with LUXE' range. Maximum indulgence at minimal cost. Upgrade your bathroom from a range of Shower columns, OHS, Hand showers & Rain showers.

Watertec Rain showers are thoughtfully designed to deliver premium showering experiences. These feature-rich showers have been designed to offer a luxurious full spray. While the Fast Clean shower nozzles prevent lime build-up, the new, improved Rain Spray dispenses 50% larger, softer water droplets. Besides, the Freeze Function ensures a drip-free showerhead after usage. Experience exhilarating showers at the click of a button - ranging from a pulsating rain to a relaxing waterfall to a gentle mist or a dual waterfall.

#### **FEATURES:**



Balance Technology Improve spray force by 3 times



Self-cleaning technology Self cleaning ensures fluent running water.



Water-saving technology Super water-saving technology makes it environment friendly.



Raining technology Special structure makes the shower like rain drops.



Simple and comfortable

Humanized design, easy switch, easy installation,
easy use and easy maintenance



Air-intake technology Flow force is used to intake air and mix it with water, to multiply the oxygen content.





# Core Technology




# Core technology



Bored of traditional function switch?

Never mind, Let's enjoy a comfortable showering experience







Model Code: L3805D2

PART NUMBER	DESCRIPTION	MATERIAL	COLOR	SIZE(MM)
D33011	Rain Shower	Plastic	1F, Chrome body with white faceplate and silicon nozzles, brass ball joint	φ255
Н39033	Hand Shower	Plastic	3F, Chrome body with white faceplate and silicon nozzles	φ115
Y0102	Slider	Plastic	Chrome plated	φ25
307169-015M	Staight tube	Stainless steel 201	Chrome plated	φ25X700
307033-012B	Curved tube	Stainless steel 201	Chrome plated	φ22X470
2423A0A-0	Wall fixing set	Zinc-alloy	Chrome plated	
F033801	Plastic body and brass water way	Plastic body and Brass waterway HPb59-1	Chrome plated	
R111529-0C2B-3B	Shower hose	1.5M Gray reinforced PVC hose	Gray reinforced	1500



Model Code: L3801D2

	PART NUMBER	DESCRIPTION	MATERIAL COLOR		SIZE(MM)	
	D04011	Rain Shower	Plastic	IF, Chrome body with chromed faceplate and brass ball joint	260x188 mm	
	H11013	Hand Shower	Plastic	3F, Chrome body with chromed faceplate	80x260 mm	
Г	Y0102	Slider	Plastic	Chrome plated	φ25	
Γ	307169-015M	Staight tube	Stainless steel 201 Chrome plated		φ25X700	
Ţ	307033-012B	Curved tube	Stainless steel 201 Chrome plated		φ22X470	
	2423A0A-0	Wall fixing set	Zinc-alloy	Chrome plated		
	F033801	Shower hose	1.5M Gray reinforced PVC hose	Gray reinforced		
	R111529-0C2B-3B	Plastic body and brass water way	Plastic body and Brass waterway HPb59-1	Chrome plated	1500	



Model Code: L3802D2


PART NUMBER	DESCRIPTION	MATERIAL	COLOR	SIZE(MM)
D30011	Rain Shower	Plastic	1F, Chrome body with Gray faceplate and white silicon nozzles, brass ball joint	φ260
H37013	Hand Shower	Plastic	3F, Chrome body with Gray faceplate and white silicon nozzles	φ130
Y0102	Slider	Plastic	Chrome plated	φ25
307169-015M	Staight tube	Stainless steel 201	Chrome plated	φ25X700
307033-012B	Curved tube	Stainless steel 201	Chrome plated	φ22X470
2423A0A-0	Wall fixing set	Zinc-alloy	Chrome plated	
F033801	Shower hose	1.5M Gray reinforced PVC hose	Gray reinforced	
R111529-0C2B-3B	Plastic body and brass water way	Plastic body and Brass waterway HPb59-1	Chrome plated	1500



Model Code: L3802D2-8B

PART NUMBER	DESCRIPTION	MATERIAL	COLOR	SIZE(MM)
			3F, Matte black with	
D30011B	Rain Shower	Plastic	BLACK faceplate and	260x188 mm
			white silicon nozzles	
H37013B	Hand Shower Plastic		Matte black	80x260 mm
Y0102B	Slider	Plastic	Matte black	φ25
307169-015B	Staight tube	Stainless steel 201	Matte black	φ25X700
307033-012BZ1	Curved tube	Stainless steel 201	Matte black	φ22X470
2423A0A-0B	Wall fixing set	Zinc-alloy	Matte black	
F033801B	Shower hose	1.5M Gray reinforced PVC hose	Matte black	
	Plastic body and	Plastic body and Brass		
RIII529-0C2B-3B-01	brass water way	waterway HPb59-1	Matte black	1500

# **Shower Column**





# Shower Column



#### Specifications:

- 1. ADJUSTABLE Round Shower Column (stainless steel #201 upper tube 19mm & down tube 22mm)
- 2. The Shelf and diverter are in ones piece
- 3.Chrome Ø228mm 1F shower head
- 4. Chrome Ø115mm 3F hand shower H39013
- 5. Chrome 1.5M & 0.6M length stainless steel #201 hose with brass nuts








## **Shower Column**



#### Specifications:

- 1. ADJUSTABLE Round Shower Column(stainless steel #201 upper tube 22mm&downtube25mm)
- 2. Chrome Ø260mm 1F showerhead D30011
- 3. Chrome  $\emptyset$ 130mm 3F hand shower H37013
- 4. Chrome 1.5M length Grey reinforced PVC hose
- 5. Temperature faucet ,Plastic body with tempered glass cover plate, brass water way.







### Core technology

Enjoy MAXIMUM PRESSURE always with the

SELF-CLEANING SHOWER HEAD that will never block up.

Avoiding the hassle of having to clean hard to reach shower heads.

Tested to last OVER 50 YEARS of showering (100,000 cycles)











The Self-cleaning Hand Shower deliver a total coverage and continuous pressure spray that will never weaken due to the build-up of lime scale.

Eco-Friendly water-inlet pipes to isolate with chrome plating, make showering environmental and comfortable.

Small button with variety functions:

Touch to change modes - "Spray", "Jet-Spray",

"Spray+Jet-Spray".




Air infused technology

An intellectual method of mixing air & water.

1:3 of air & water combines to form numerous bubbles making the spray soft and comfortable.












#### Model Code: H34021

Hand shower with flexi hose 1.5 Mtr





Flow: 1F

Dia: 86mm x 224mm

Specifications: Chrome body with grey faceplate



#### Model Code: H26013W

Hand shower with flexi hose 1.5 Mtr





Flow: 3F

Dia: 93mm x 275mm

Specifications: Chrome body with white faceplate,

self cleaning nozzles


#### Model Code: H37013

Hand shower with flexi hose 1.5 Mtr



Flow: 3F

Dia: 130mm x 263mm



Specifications: Chrome body with grey faceplate,

324 silicon nozzles in total,3 times of common shower,0.45mm silicon nozzles, soft spray,

push button function switch, easy click



#### Model Code: H30043

Hand shower with flexi hose 1.5 Mtr



Flow: 3F

Dia: 112mm x 260mm

Specifications: Chrome body with white faceplate





#### Model Code: H36011

Hand shower with flexi hose 1.5 Mtr



Flow: 1F

Dia: 120mm x 254mm

self cleaning nozzles

Specifications: Chrome body with white faceplate,



#### Model Code: H37013B

Hand shower with anti twist black flexi hose 1.5 Mtr



Flow: 3F

Dia: 130mm x 263 mm

Specifications: Matte black body with matte black faceplate, 324 silicon nozzles in total, 3 times of common shower, 0.45mm silicon nozzles, soft spray, push button function switch, easy click





#### Model Code: H17015

Hand shower with flexi hose 1.5 Mtr



Flow: 5F

Dia: 120mm x 257mm

Specifications: Chrome plated body with grey faceplate,

self cleaning nozzles



#### Model Code: H39033

Hand shower with flexi hose 1.5 Mtr





Flow: 3F

Dia: 115mm x 257mm

Specifications: Chrome plated body with white faceplate,


silicon nozzles







#### Model Code: D19011





Flow: 1F

Dia:85mm

Specifications: Chrome body with gray faceplate,

easy to disassemble, fast clean dirt,

brass ball joint, easy cleaning nozzles



Model Code: D21011






Flow: 1F

Dia: 230mm

Specifications: Chrome body with white faceplate, brass ball joint, self cleaning nozzles







Flow: 1F


Dia: 260mm

Specifications: Chrome body with white faceplate,

brass ball joint self cleaning nozzles








Flow: 1F

Dia: 288x194mm

Specifications: Chrome body with white faceplate,

brass ball joint, self cleaning nozzles







Flow: 1F

Dia: D235mm



brass ball joint, easy cleaning nozzles







Flow:1F

Dia: 256mm

Specifications: Chrome body with white faceplate,


brass ball joint.











Flow: 1F


Dia: 260mm

Specifications: Chrome body with gray faceplate,

silicon nozzles, brass ball joint.







Dia: D260mm

Specifications: Matte black body with Matte black

faceplate, silicon nozzles, black brass

ball joint.


# **Prime**

### Stainless Steel







Model Code - IR - 150



Model Code - IR - 200



Model Code - IR - 220



Size : 200 mm x125 mm

Nozzles:77

Finish: SS Mirror Finish

Size : 245 mm x150 mm

Nozzles: 91


Finish: SS Mirror Finish

Size :310 mm x190 mm

Nozzles:135

Finish: SS Mirror Finish

Model Code - IR - 260




Size : 365 mm x 225 mm

Nozzles:187

Finish : SS Mirror Finish

Model Code - IR - 300



Size :429 mm x 264 mm

Nozzles:209



Model Code - IC - 150





Size: 152 dia

Nozzles: 69

Finish : SS Mirror Finish

Model Code - IC - 260





Size : 262 dia

Nozzles:150

Finish : SS Mirror Finish

Model Code - IC - 220






Size : 222 dia

Nozzles: 114

Finish : SS Mirror Finish

Model Code - IC - 300





Size :300 dia

Nozzles:169



Model Code - IS - 80




Size : 82 mm x82 mm

Nozzles: 24

Finish : SS Mirror Finish

Model Code - IS - 150




Size :152 mm x152 mm

Nozzles:81

Finish: SS Mirror Finish

Model Code - IS - 120




Size : 120 mm x120 mm

Nozzles: 64

Finish: SS Mirror Finish

Model Code - IS - 200




Size : 200 mm x 200 mm

Nozzles :121



Model Code - IS - 220



Size :232 mm x 232 mm

Nozzles:144

Finish : SS Mirror Finish

Model Code - IS - 260




Size : 267 mm x 267 mm

Nozzles:169

Finish : SS Mirror Finish

Model Code - IS - 300



Size :300 mm x 300 mm

Nozzles:196



Model Code - MC - 150





Size : 150 dia

Finish : SS Mirror Finish

Model Code - MC - 200





Size :200 dia

Finish : SS Mirror Finish

Model Code - MC - 250





Size : 250 dia

Finish : SS Mirror Finish

Model Code - MC - 300




Size :300 dia



Model Code - MS - 150





Size: 150mmx150mm

Finish : SS Mirror Finish

Model Code - MS - 200






Size :200mmx200mm



Model Code - MS - 250






Size: 250mmx250xmm

Finish : SS Mirror Finish

Model Code - MS - 300





Size :300mmx300mm

# Classe



### **Overhead Showers**

Model Code - 4BABS



4" Top shower head ABS materials chrome face & grey TPR join-ball: plastic with shower arm chrome finish.

Model Code - 4CABS

**5 Functions** 



4" Top shower head ABS materials chrome face & grey TPR join-ball: plastic with shower arm chrome finish

Model Code - 6FABS



6" Top shower head ABS materials chrome face & grey TPR join-ball: plastic with shower arm chrome finish

#### Model Code - 6DABS



6" Top shower head ABS materials grey TPR join-ball: plastic with shower arm chromefinish

## **Overhead Showers**

Model Code - 4DSS




304 Stainless steel 4 Top shower head mirror & grey TPR join-ball: brass with shower arm chrome finish

Model Code - 4ESS 5 Functions



304 Stainless steel 4 Top shower head mirror & grey TPR join-ball: brass with shower arm chrome finish


Model Code - 6EABS
5 Functions



6 Top shower head ABS materials diamond face & grey TPR join-ball: plastical with shower arm chrome finish

### **Shower Arms**





BRASS				
CODE	SQBR09	SQBR12	SQBR15	
SIZE	9"	12"	15"	



Shape: Round with Flange

BRASS				
CODE	RNDBR09	RNDBR12	RNDBR15	
SIZE	9"	12"	15"	



Shape: Round with Flange

BRASS (Finish Black)					
CODE	ODE RNDBL9 RNDBL2 RNDBL15 RNDBL18				
SIZE	9"	12"	15"	18"	

# **Shower Hoses**



Model Code: SH 201010

Hand shower hose braided 1.5 Mtr (12mm dia)



Model Code: SH 201013

Hand shower hose braided black 1.5 Mtr (12mm dia)





Hand shower hose flexi1.5 Mtr



Model Code: SH 201012

Hand shower hose anti twist flexi black 1.5 Mtr

# Warranty

### **WARRANTY GUIDE**

This warranty is not valid or effective if the products are not installed according to the installation guide. Improper handling of the products automatically terminates and nullifies this warranty. Improper care and cleaning will void the warranty.

The warranty period will start from the date of invoice. It shall automatically terminate upon the expiry of the warranty period even if the products have not been installed after purchase or have been in use for any part or whole of the warranty period for any reason whatsoever.

In the event of any repairs/replacement of any parts of the product, this warranty shall thereafter continue and remain in force only for the unexpired period of the warranty and no extension of the warranty period will be granted. This warranty is only applicable for manufacturing defects and under no circumstances will the manufacturer be liable for any other defect caused due to indirect, incidental and consequential damages of any kind.

# **WARRANTY DETAILS**

PRODUCT	PARTS	WARRANTY PERIOD*
Shower Column		Residential use 2 years / commercial use 2 years
Hand Shower		Residential use 2 years / commercial use 2 years
Luxe'		Residential use 2 years / commercial use 2 years
Rain Shower		Residential des 2 years / certificient des 2 years
Multi Function		3 years warranty / 1 year on Electric parts like
Showers		LED and Bluetooth Speaker
Rain Showers		3 years
Over head	Shower head and shower arm	Residential use 3 years / commercial use 2 years
Showers	All washers & rubber parts	Not applicable
Thermostatic		Residential use 2 years / commercial use 2 years
Shower		Residential use 2 years / confiniencial use 2 years

\*As per manufacturer policy







ISO 9001 COMPANY



09/23







Watertecind





 $\textbf{WATERTEC (INDIA) PVT. LTD. Corporate Office:} \ Watertec \ India \ (Pvt) \ Ltd, \ No. \ 766 \& \ 767, \ 3^{rd} \ floor,$ Puliakulam Road, Papanaickenpalayam, Coimbatore 641 037

E-mail: marketing@watertecindia.com | Visit: watertecindia.com Toll-free: 1800 121 2191